Pain 109 (2004) 531–534

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 109 (2004)

Aalto, S., see Hagelberg, N., **109** 86
Aaron, L.A., Mancl, L., Turner, J.A., Sawchuk, C.N., Klein, K.M., Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109** 389
Advani, T., see Lichtman, A.H., **109** 319
Almirez, R., see Sweitzer, S.M., **109** 409
Ambrose, K., see Gracely, R.H., **109** 525
Angus, J.A., see Scott, D.A., **109** 124
Anseloni, V., Ren, K., Dubner, R., Ennis, M., Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109** 507
Ardid, D., see Millecamps, M., **109** 214
Arendt-Nielsen, L., see Svensson, P., **109** 225
Arntz, A., Claassens, L., The meaning of pain influences its experienced intensity, **109** 20

Baker, R., see Bogduk, N., **109** 527
Barden, J., Edwards, J.E., Mason, L., McQuay, H.J., Moore, R.A., Outcomes in acute pain trials: systematic review of what was reported?, **109** 351
Bartsch, T., Levy, M.J., Knight, Y.E., Goadsby, P.J., Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109** 367
Beaudet, A., see Morinville, A., **109** 266
Bennett, G.J., see Flatters, S.J.L., **109** 150
Bo Veiersted, K., see He, D., **109** 299
Boecker, H., see Valet, M., **109** 399
Bogduk, N., Baker, R., Dreyfuss, P., Mercer, S., In response to Larkin, Carragee and Cohen letter ''Transforaminal epidural steroid delivery…'', **109** 527
Boothby, J.L., Thorn, B.E., Overduin, L.Y., Charles Ward, L., Catastrophizing and perceived partner responses to pain, **109** 500
Bouter, L.M., see Kuijpers, T., **109** 420
Brabant, S., see Van Zundert, J., **109** 520
Broderick, J.E., Junghaenel, D.U., Turk, D.C., Stability of patient adaptation classifications on the multidimensional pain inventory, **109** 94
Broglio, S.P., see O'Connor, P.J., **109** 291
Brugger, A., see Mendoza, T.R., **109** 103
Buchser, E., see Perren, F., **109** 189
Burton, A., see Dougherty, P.M., **109** 132

Cahill, C.M., see Morinville, A., **109** 266
Cano, A., Johansen, A.B., Geisser, M., Spousal congruence on disability, pain, and spouse responses to pain, **109** 258
Cardenas, D.D., see Giardino, N.D., **109** 528
Carragee, E., see Cohen, S.P., **109** 526
Carson, J.W., see McCracken, L.M., **109** 4
Cata, J.P., see Dougherty, P.M., **109** 132
Caudill-Slosberg, M.A., Schwartz, L.M., Woloshin, S., Office visits and analgesic prescriptions for musculoskeletal pain in US: 1980 vs. 2000, **109** 514
Chakravarty, S., see Sweitzer, S.M., **109** 409
Changeux, J.-P., see Cordero-Erausquin, M., **109** 308
Charles Ward, L., see Boothby, J.L., **109** 500
Chaudhuri, A., see Whiteside, A., **109** 497
Chédel, D., see Perren, F., **109** 189
Chen, C., see Mendoza, T.R., **109** 103
Cherry, D.A., see Sabatowski, R., **109** 26
Cirino, G., see Pieretti, S., **109** 52
Claassens, L., see Arntz, A., **109** 20
Clarke, R.W., see Lo, W.C., **109** 162
Clauw, D.J., see Gracely, R.H., **109** 525
Cleeland, C.S., see Mendoza, T.R., **109** 103
Coffey, R.J., ''Marchand S, Kupers RC, Bushnell MC, Duncan GH. Analgesic and placebo effects of thalamic stimulation. Pain 2003;105:481–8'', **109** 522
Coggon, D., see Walker-Bone, K., **109** 45
Cohen, S.P., Larkin, T.M., Carragee, E., Transforaminal epidural steroid delivery and diagnosing the level of nerve root pathology: comments on Baker et al., Pain 103/1-2, 2003, **109** 526
Collier, B., see Morinville, A., **109** 266
Conrad, B., see Valet, M., **109** 399
Cooper, C., see Walker-Bone, K., **109** 45
Cordella, J.V., see Dougherty, P.M., **109** 132
Cordero-Erausquin, M., Pons, S., Faure, P., Changeux, J.-P., Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109** 308
Costello, J., see Watt-Watson, J., **109** 73
Coulthard, P., see Simjee, S.U., **109** 453
Cravatt, B.F., see Lichtman, A.H., **109** 319
Crawford Clark, W., Comment on: Increased pain sensitivity in fibromyalgia: effects of stimulus type and mode of presentation, Petzke et al., Pain 105 (2003) 403–413, and the related editorial: Hyperalgesia versus response bias in fibromyalgia, Fillingim, Pain, 105 (2003) 385–386, **109** 524

Dai, Y., see Liu, Y., **109** 64
David Baxter, G., see Liddle, S.D., **109** 200
David, T., see Watt-Watson, J., **109** 73
de C. Williams, A.C., see Pincus, T., **109** 181
De Felice, M., see Pieretti, S., **109** 52
Deyo, R.A., see Von Korff, M., **109** 207
Di Giannuario, A., see Pieretti, S., **109** 52
Dionne, R.A., see Kim, H., **109** 488
Dobalian, A., see Tsao, J.C.I., **109** 172
Dougherty, P.M., Cata, J.P., Cordella, J.V., Burton, A., Weng, H.-R., Taxol-induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients, **109** 132
Drew, G.M., Siddall, P.J., Duggan, A.W., Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109** 379
Dreyfuss, P., see Bogduk, N., **109** 527
Drotar, D.D., see Palermo, T.M., **109** 461
Dubner, R., see Anseloni, V., **109** 507
Dugar, S., see Sweitzer, S.M., **109** 409
Duggan, A.W., see Drew, G.M., **109** 379

Eccleston, C., see McCracken, L.M., **109** 4
Edwards, J.E., see Barden, J., **109** 351
Ehde, D.M., see Giardino, N.D., **109** 528

doi:10.1016/S0304-3959(04)00232-5

Ely, M.R., see O'Connor, P.J., **109** 291
Ennes, H.S., see Li, J., **109** 443
Ennis, M., see Anseloni, V., **109** 507
Erhard, P., see Valet, M., **109** 399
Ernst, E., Acupuncture: who is missing the point?, **109** 203
Ernst, E., Letter to the editor regarding White et al., "The placebo needle, is it a valid and convincing placebo for use in acupuncture trials? A randomised, single-blind, cross-over pilot trial" (Pain 106: 401–409), **109** 196
Eschalier, A., see Millecamps, M., **109** 214
Etienne, M., see Millecamps, M., **109** 214

Faure, P., see Cordero-Erausquin, M., **109** 308
Field, A., see Pincus, T., **109** 181
Fisher, A., see Fricke Jr., J.R., **109** 250
Flake, N.M., Lancaster, E., Weinreich, D., Gold, M.S., Absence of an association between axotomy-induced changes in sodium currents and excitability in DRG neurons from the adult rat, **109** 471
Flatters, S.J.L., Bennett, G.J., Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109** 150
Fleetwood-Walker, S.M., see Garry, E.M., **109** 210
Fricke Jr., J.R., Hewitt, D.J., Jordan, D.M., Fisher, A., Rosenthal, N.R., A double-blind placebo-controlled comparison of tramadol/acetaminophen and tramadol in patients with postoperative dental pain, **109** 250
Fukuoka, T., see Liu, Y., **109** 64

Gálvez, R., see Sabatowski, R., **109** 26
Garry, E.M., Fleetwood-Walker, S.M., A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109** 210
Geisser, M., see Cano, A., **109** 258
Giardino, N.D., Jensen, M.P., Turner, J.A., Ehde, D.M., Cardenas, D.D., Response letter to McHenry, **109** 528
Goadsby, P.J., see Bartsch, T., **109** 367
Gold, M.S., see Flake, N.M., **109** 471
Goldman, D., see Kim, H., **109** 488
Grace, E.G., see Sarlani, E., **109** 115
Gracely, R.H., Clauw, D.J., Ambrose, K., Petzke, F., Reply to Clark's letter, **109** 525
Gracey, J.H., see Liddle, S.D., **109** 200
Greenspan, J.D., Ohara, S., Sarlani, E., Lenz, F.A., Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109** 357
Greenspan, J.D., see Sarlani, E., **109** 115
Grisel, J.E., see Nemmani, K.V.S., **109** 274

Hagelberg, N., Aalto, S., Kajander, J., Oikonen, V., Hinkka, S., Någren, K., Hietala, J., Scheinin, H., Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109** 86
Hansen, S., see Whiteside, A., **109** 497
Harris, J., see Lo, W.C., **109** 162
He, D., Bo Veiersted, K., Høstmark, A.T., Ingulf Medbø, J., Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109** 299
Hewitt, D.J., see Fricke Jr., J.R., **109** 250
Hietala, J., see Hagelberg, N., **109** 86
Hinkka, S., see Hagelberg, N., **109** 86
Hirt, L., see Perren, F., **109** 189
Hopwood, V., see White, P., **109** 197
Høstmark, A.T., see He, D., **109** 299
Hubbard, R., see Mendoza, T.R., **109** 103

Iadarola, M.J., see Kim, H., **109** 488
Ingulf Medbø, J., see He, D., **109** 299
Izydorczyk, I., see Pethö, G., **109** 284

Jackson, E., see Lo, W.C., **109** 162
Jacquot, F., see Sabatowski, R., **109** 26
Jensen, M.P., see Giardino, N.D., **109** 528
Jensen, M.P., see Nielson, W.R., **109** 233
Jevtovic-Todorovic, V., see Todorovic, S.M., **109** 328
Johanek, L.M., Simone, D.A., Activation of peripheral cannabinoid receptors attenuates cutaneous hyperalgesia produced by a heat injury, **109** 432
Johansen, A.B., see Cano, A., **109** 258
Jordan, D.M., see Fricke Jr., J.R., **109** 250
Jourdan, D., see Millecamps, M., **109** 214
Junghaenel, D.U., see Broderick, J.E., **109** 94

Kajander, J., see Hagelberg, N., **109** 86
Katz, J., see Watt-Watson, J., **109** 73
Keefe, F.J., see McCracken, L.M., **109** 4
Kieffer, B., see Morinville, A., **109** 266
Kim, H., Neubert, J.K., San Miguel, A., Xu, K., Krishnaraju, R.K., Iadarola, M.J., Goldman, D., Dionne, R.A., Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109** 488
Klein, K.M., see Aaron, L.A., **109** 389
Knight, Y.E., see Bartsch, T., **109** 367
Krack, P., see Schulte-Mattler, W.J., **109** 110
Kravitz, E., see Thimineur, M.A., **109** 242
Krishnaraju, R.K., see Kim, H., **109** 488
Kuijpers, T., van der Windt, D.A.W.M., van der Heijden, G.J.M.G., Bouter, L.M., Systematic review of prognostic cohort studies on shoulder disorders, **109** 420

Lancaster, E., see Flake, N.M., **109** 471
Larkin, T.M., see Cohen, S.P., **109** 526
Leino-Arjas, P., see Solovieva, S., **109** 8
Lenz, F.A., see Greenspan, J.D., **109** 357
Levy, M.J., see Bartsch, T., **109** 367
Lewith, G., see White, P., **109** 197
Li, H., see Zhang, J.-M., **109** 143
Li, J., McRoberts, J.A., Nie, J., Ennes, H.S., Mayer, E.A., Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109** 443
Lichtman, A.H., Shelton, C.C., Advani, T., Cravatt, B.F., Mice lacking fatty acid amide hydrolase exhibit a cannabinoid receptor-mediated phenotypic hypoalgesia, **109** 319
Liddle, S.D., David Baxter, G., Gracey, J.H., Erratum to "Exercise and chronic low back pain: what works?" [Pain 107 (2004) 176–190], **109** 200
Liu, Y., Obata, K., Yamanaka, H., Dai, Y., Fukuoka, T., Tokunaga, A., Noguchi, K., Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109** 64
Lo, W.C., Jackson, E., Merriman, A., Harris, J., Clarke, R.W., 5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109** 162
Logan, D.E., Rose, J.B., Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109** 481
Lopez, B.C., see Zakrzewska, J., **109** 520
Luoma, K., see Solovieva, S., **109** 8

Maeder, P., see Perren, F., **109** 189
Maisonobe, P., see Sabatowski, R., **109** 26
Mancl, L., see Aaron, L.A., **109** 389
Marchand, S., Thalamic stimulation: placebo component in the clinical efficacy, **109** 523
Mason, L., see Barden, J., **109** 351
Max, M.B., Assessing pain candidate gene studies, **109** 1
Mayer, E.A., see Li, J., **109** 443
McCracken, L.M., Carson, J.W., Eccleston, C., Keefe, F.J., Acceptance and change in the context of chronic pain, **109** 4

McHenry, K., Letter to the editor from Dr Kenneth McHenry referring to Giardino 15220, **109** 528
McQuay, H.J., see Barden, J., **109** 351
McRoberts, J.A., see Li, J., **109** 443
Medicherla, S., see Sweitzer, S.M., **109** 409
Medler, K.A., see Stucky, C.L., **109** 36
Mendoza, T.R., Chen, C., Brugger, A., Hubbard, R., Snabes, M., Palmer, S.N., Zhang, Q., Cleeland, C.S., Lessons learned from a multiple-dose post-operative analgesic trial, **109** 103
Mercer, S., see Bogduk, N., **109** 527
Merriman, A., see Lo, W.C., **109** 162
Meyenburg, A., see Todorovic, S.M., **109** 328
Millecamps, M., Etienne, M., Jourdan, D., Eschalier, A., Ardid, D., Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109** 214
Mogil, J.S., see Nemmani, K.V.S., **109** 274
Molliver, D.C., see Stucky, C.L., **109** 36
Moore, R.A., see Barden, J., **109** 351
Morinville, A., Cahill, C.M., Kieffer, B., Collier, B., Beaudet, A., Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109** 266
Morley, S., Process and change in cognitive behaviour therapy for chronic pain, **109** 205
Motl, R.W., see O'Connor, P.J., **109** 291
Munir, M.A., see Zhang, J.-M., **109** 143

Någren, K., see Hagelberg, N., **109** 86
Naliboff, B.D., see Tsao, J.C.I., **109** 172
Nemmani, K.V.S., Grisel, J.E., Stowe, J.R., Smith-Carliss, R., Mogil, J.S., Modulation of morphine analgesia by site-specific *N*-methyl-D-aspartate receptor antagonists: dependence on sex, site of antagonism, morphine dose, and time, **109** 274
Neubert, J.K., see Kim, H., **109** 488
Nie, J., see Li, J., **109** 443
Nielson, W.R., Jensen, M.P., Relationship between changes in coping and treatment outcome in patients with Fibromyalgia Syndrome, **109** 233
Noguchi, K., see Liu, Y., **109** 64

Obata, K., see Liu, Y., **109** 64
O'Connor, P.J., Motl, R.W., Broglio, S.P., Ely, M.R., Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109** 291
Ohara, S., see Greenspan, J.D., **109** 357
Oikonen, V., see Hagelberg, N., **109** 86
Overduin, L.Y., see Boothby, J.L., **109** 500

Palermo, T.M., Witherspoon, D., Valenzuela, D., Drotar, D.D., Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109** 461
Palmer, K.T., see Walker-Bone, K., **109** 45
Palmer, S.N., see Mendoza, T.R., **109** 103
Park, J., Sham needle control needs careful approach, **109** 195
Perren, F., Buchser, E., Chédel, D., Hirt, L., Maeder, P., Vingerhoets, F., Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109** 189
Perretti, M., see Pieretti, S., **109** 52
Pethö, G., Izydorczyk, I., Reeh, P.W., Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109** 284
Petzke, F., see Gracely, R.H., **109** 525
Pieretti, S., Di Giannuario, A., De Felice, M., Perretti, M., Cirino, G., Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109** 52
Pincus, T., de C. Williams, A.C., Vogel, S., Field, A., The development and testing of the depression, anxiety, and positive outlook scale (DAPOS), **109** 181
Pleuvry, B.J., see Simjee, S.U., **109** 453
Pons, S., see Cordero-Erausquin, M., **109** 308
Prescott, P., see White, P., **109** 197
Protter, A.A., see Sweitzer, S.M., **109** 409

Raininko, R., see Solovieva, S., **109** 8
Reading, I., see Walker-Bone, K., **109** 45
Reeh, P.W., see Pethö, G., **109** 284
Reid, G.J., see Watt-Watson, J., **109** 73
Ren, K., see Anseloni, V., **109** 507
Reynolds, M.A., see Sarlani, E., **109** 115
Riihimäki, H., see Solovieva, S., **109** 8
Rose, J.B., see Logan, D.E., **109** 481
Rosenthal, N.R., see Fricke Jr., J.R., **109** 250
Rummeny, E., see Valet, M., **109** 399

Saarela, J., see Solovieva, S., **109** 8
Sabatowski, R., Gálvez, R., Cherry, D.A., Jacquot, F., Vincent, E., Maisonobe, P., Versavel, M., The 1008-045 Study Group, Pregabalin reduces pain and improves sleep and mood disturbances in patients with postherpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109** 26
San Miguel, A., see Kim, H., **109** 488
Sarlani, E., Grace, E.G., Reynolds, M.A., Greenspan, J.D., Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109** 115
Sarlani, E., see Greenspan, J.D., **109** 357
Sawchuk, C.N., see Aaron, L.A., **109** 389
Scheinin, H., see Hagelberg, N., **109** 86
Schulte-Mattler, W.J., Krack, P., BoNTTH study group, Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study, **109** 110
Schwartz, L.M., see Caudill-Slosberg, M.A., **109** 514
Scott, D.A., Wright, C.E., Angus, J.A., Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109** 124
Sessle, B.J., see Svensson, P., **109** 225
Shelton, C.C., see Lichtman, A.H., **109** 319
Shumilla, J.A., see Sweitzer, S.M., **109** 409
Siddall, P.J., see Drew, G.M., **109** 379
Simjee, S.U., Pleuvry, B.J., Coulthard, P., Modulation of the gait deficit in arthritic rats by infusions of muscimol and bicuculline, **109** 453
Simone, D.A., see Johanek, L.M., **109** 432
Smith-Carliss, R., see Nemmani, K.V.S., **109** 274
Snabes, M., see Mendoza, T.R., **109** 103
Solovieva, S., Leino-Arjas, P., Saarela, J., Luoma, K., Raininko, R., Riihimäki, H., Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109** 8
Sprenger, T., see Valet, M., **109** 399
Stevens, B., see Watt-Watson, J., **109** 73
Stowe, J.R., see Nemmani, K.V.S., **109** 274
Streitberger, K., Vickers, A., Placebo in acupuncture trials, **109** 195
Stucky, C.L., Medler, K.A., Molliver, D.C., The P2Y agonist UTP activates cutaneous afferent fibers, **109** 36
Sun, R.-Q., see Tu, Y., **109** 340
Svensson, P., Wang, K., Sessle, B.J., Arendt-Nielsen, L., Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109** 225
Sweitzer, S.M., Medicherla, S., Almirez, R., Dugar, S., Chakravarty, S., Shumilla, J.A., Yeomans, D.C., Protter, A.A., Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109** 409

Thimineur, M.A., Kravitz, E., Vodapally, M.S., Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109** 242
Thorn, B.E., see Boothby, J.L., **109** 500

Todorovic, S.M., Meyenburg, A., Jevtovic-Todorovic, V., Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109** 328
Tokunaga, A., see Liu, Y., **109** 64
Tolle, T.R., see Valet, M., **109** 399
Tsao, J.C.I., Dobalian, A., Naliboff, B.D., Panic disorder and pain in a national sample of persons living with HIV, **109** 172
Tu, Y., Sun, R.-Q., Willis, W.D., Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109** 340
Turk, D.C., see Broderick, J.E., **109** 94
Turner, J.A., see Aaron, L.A., **109** 389
Turner, J.A., see Giardino, N.D., **109** 528

Valenzuela, D., see Palermo, T.M., **109** 461
Valet, M., Sprenger, T., Boecker, H., Willoch, F., Rummeny, E., Conrad, B., Erhard, P., Tolle, T.R., Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109** 399
Van Buyten, J.-P., see Van Zundert, J., **109** 520
Van de Kelft, E., see Van Zundert, J., **109** 520
van der Heijden, G.J.M.G., see Kuijpers, T., **109** 420
van der Windt, D.A.W.M., see Kuijpers, T., **109** 420
Van Zundert, J., Brabant, S., Van de Kelft, E., Vercruyssen, A., Van Buyten, J.-P., Response to Zakrzewska's Letter to the Editor, **109** 520
Vercruyssen, A., see Van Zundert, J., **109** 520
Versavel, M., see Sabatowski, R., **109** 26
Vickers, A., see Streitberger, K., **109** 195
Vincent, E., see Sabatowski, R., **109** 26
Vingerhoets, F., see Perren, F., **109** 189
Vodapally, M.S., see Thimineur, M.A., **109** 242
Vogel, S., see Pincus, T., **109** 181
Von Korff, M., Deyo, R.A., Potent opioids for chronic musculoskeletal pain: flying blind?, **109** 207

Walker-Bone, K., Reading, I., Coggon, D., Cooper, C., Palmer, K.T., The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study, **109** 45
Wang, K., see Svensson, P., **109** 225
Watt-Watson, J., Stevens, B., Katz, J., Costello, J., Reid, G.J., David, T., Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109** 73
Weinreich, D., see Flake, N.M., **109** 471
Weng, H.-R., see Dougherty, P.M., **109** 132
White, P., Lewith, G., Hopwood, V., Prescott, P., Response to Letters to the Editor regarding White et al., "The placebo needle, is it a valid and convincing placebo for use in acupuncture trials? A randomised, single-blind, cross-over pilot trial" (Pain 106(3):401–409), **109** 197
Whiteside, A., Hansen, S., Chaudhuri, A., Exercise lowers pain threshold in chronic fatigue syndrome, **109** 497
Willis, W.D., see Tu, Y., **109** 340
Willoch, F., see Valet, M., **109** 399
Witherspoon, D., see Palermo, T.M., **109** 461
Woloshin, S., see Caudill-Slosberg, M.A., **109** 514
Wright, C.E., see Scott, D.A., **109** 124

Xu, K., see Kim, H., **109** 488

Yamanaka, H., see Liu, Y., **109** 64
Yeomans, D.C., see Sweitzer, S.M., **109** 409

Zakrzewska, J., Lopez, B.C., New techniques for surgical management of trigeminal neuralgia, **109** 520
Zhang, J.-M., Li, H., Munir, M.A., Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine, **109** 143
Zhang, Q., see Mendoza, T.R., **109** 103

Pain 109 (2004) 535–542

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 109 (2004)

Acupuncture
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Acute pain
Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109**, 481
Acute pain trials
Outcomes in acute pain trials: systematic review of what was reported?, **109**, 351
Adenosine receptors
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
Adenosine triphosphate
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Adolescents
Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109**, 481
Aftersensations
Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109**, 115
Alfentanil
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Algometry
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Allodynia
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Allodynia
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
Allodynia
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
AMPA receptor subunits
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210
Analgesia
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
Analgesia
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Analgesia
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
Analgesia
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
Analgesia
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
Analgesics
Outcomes in acute pain trials: systematic review of what was reported?, **109**, 351
Annexin
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
Antagonist
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Anterior cingulate cortex
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Antinociception
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
Antinociception
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Anxiety
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Anxiety and Positive Outlook Scale
The development and testing of the depression, anxiety, and positive outlook scale (DAPOS), **109**, 181
Arthritis
Modulation of the gait deficit in arthritic rats by infusions of muscimol and bicuculline, **109**, 453
Attention
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109**, 399
Behavior
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
Bicuculline
Modulation of the gait deficit in arthritic rats by infusions of muscimol and bicuculline, **109**, 453
Botulinum toxin
Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study, **109**, 110
Bupivacaine
Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109**, 189
Caffeine
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
Calcium imaging
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443

doi:10.1016/S0304-3959(04)00233-7

Cancer
Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109**, 150
Cancer
Taxol-induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients, **109**, 132
Cannabinoid
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Capsaicin
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Capsazepine
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
Catastrophizing
Catastrophizing and perceived partner responses to pain, **109**, 500
CB-1 receptor
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
CB-2 receptor
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Central pain
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Central sensitization
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
[^{11}C]FLB 457
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Chemotherapy
Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109**, 150
Chemotherapy
Taxol-induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients, **109**, 132
Children
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
Chronic constriction injury models
Mice lacking fatty acid amide hydrolase exhibit a cannabinoid receptor-mediated phenotypic hypoalgesia, **109**, 319
Chronic fatigue syndrome
Exercise lowers pain threshold in chronic fatigue syndrome, **109**, 497
Chronic inflammatory painful state
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Chronic pain
Catastrophizing and perceived partner responses to pain, **109**, 500
Chronic pain
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Chronic pain
Modulation of the gait deficit in arthritic rats by infusions of muscimol and bicuculline, **109**, 453
Chronic pain
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Chronic pain
Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109**, 389
Chronic pain
Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109**, 189
Chronic pain
Spousal congruence on disability, pain, and spouse responses to pain, **109**, 258
Clinical trial
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Clonidine
Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109**, 189
Cluster analysis
Stability of patient adaptation classifications on the multidimensional pain inventory, **109**, 94
Cluster headache
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Cognition
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Cognitive-behavioural
Relationship between changes in coping and treatment outcome in patients with Fibromyalgia Syndrome, **109**, 233
Complete Freund's adjuvant
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Confirmatory factor analysis
The development and testing of the depression, anxiety, and positive outlook scale (DAPOS), **109**, 181
Coronary artery bypass graft
Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109**, 73
Coronary artery bypass graft
Lessons learned from a multiple-dose post-operative analgesic trial, **109**, 103
Cycling
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
D2/D3 receptor
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Depression
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Depression
Spousal congruence on disability, pain, and spouse responses to pain, **109**, 258
Depression
The development and testing of the depression, anxiety, and positive outlook scale (DAPOS), **109**, 181
Descending inhibition
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
Development
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
Dextromethorphan
Modulation of morphine analgesia by site-specific *N*-methyl-D-aspartate receptor antagonists: dependence on sex, site of antagonism, morphine dose, and time, **109**, 274
Disability
Spousal congruence on disability, pain, and spouse responses to pain, **109**, 258

Disc degeneration
Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109**, 8
Disinhibition hypothesis
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
5,5′-Dithio-bis-(2-nitrobenzoic acid)
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Dopamine
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Dorsal horn
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64
Dorsal horn
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
Dorsal root ganglion
Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine, **109**, 143
Education intervention
Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109**, 73
Electromyographic activity
Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109**, 225
Electron microscopy
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Electronic diary interviews
Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109**, 389
Endocrine
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Endogenous cannabinoid
Mice lacking fatty acid amide hydrolase exhibit a cannabinoid receptor-mediated phenotypic hypoalgesia, **109**, 319
Epidemiology
Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109**, 8
Epidemiology
The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study, **109**, 45
Ergogenic aid
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
Ethnicity
Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109**, 488
Exercise
Exercise lowers pain threshold in chronic fatigue syndrome, **109**, 497
Experimental pain
The meaning of pain influences its experienced intensity, **109**, 20
Experimental pain human model
Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109**, 488
Extracellular signal-regulated protein kinase
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64
Fatty acid amide hydrolase
Mice lacking fatty acid amide hydrolase exhibit a cannabinoid receptor-mediated phenotypic hypoalgesia, **109**, 319
Fibromyalgia
Relationship between changes in coping and treatment outcome in patients with Fibromyalgia Syndrome, **109**, 233
Fibromyalgia syndrome
Stability of patient adaptation classifications on the multidimensional pain inventory, **109**, 94
Fitness
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
fMLF
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
fMRI
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109**, 399
Formalin
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
Formyl peptide receptors
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
Functional connectivity
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109**, 399
Functional Disability Inventory
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
Functional impairment
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
GABA
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
Gender
Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109**, 488
Gender differences
Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109**, 481
Gender differences
Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109**, 115
Genetic variation
Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109**, 488
Global ratings of satisfaction
Lessons learned from a multiple-dose post-operative analgesic trial, **109**, 103
Glutamate receptor channel
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
Glutamate receptor subtype
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
GRIP/PICK1
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210

Headache
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Heat pain
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109**, 399
Herpes zoster
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
HIV
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Hospital Anxiety and Depression Scale
The development and testing of the depression, anxiety, and positive outlook scale (DAPOS), **109**, 181
5-HT_{1B}-receptor
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
5-HT_2-receptor
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
5-HT_3-receptor
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
Human experimental muscle pain
Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109**, 225
Hyperalgesia
Activation of peripheral cannabinoid receptors attenuates cutaneous hyperalgesia produced by a heat injury, **109**, 432
Hyperalgesia
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
Hypoalgesia
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291
Hypocretin
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
IL-1 gene locus polymorphisms
Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109**, 8
Inflammation
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
Inflammatory pain
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
Inhibition
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
Insula
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Intermittent claudication
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64
Interneuron
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
Interpretation
The meaning of pain influences its experienced intensity, **109**, 20
Intrathecal
Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109**, 242
Intrathecal pain treatment
Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109**, 189
Iodo-resiniferatoxin
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
Jaw muscle
Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109**, 225
L-cysteine
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Longitudinal analysis
Lessons learned from a multiple-dose post-operative analgesic trial, **109**, 103
Low back pain
Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109**, 8
Meaning
The meaning of pain influences its experienced intensity, **109**, 20
Mechanical nociception
Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109**, 115
Mechanical sensation
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Mechanotransduction
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Mibefradil
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Migraine
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Missing data
Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109**, 389
Mitogen-activated protein kinase
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64
Modulation
Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain—an fMRI analysis, **109**, 399
Mood
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Mouse
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
mRNA
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
Muscimol
Modulation of the gait deficit in arthritic rats by infusions of muscimol and bicuculline, **109**, 453
Musculoskeletal disorders
Systematic review of prognostic cohort studies on shoulder disorders, **109**, 420
Musculoskeletal pain
Office visits and analgesic prescriptions for musculoskeletal pain in US: 1980 vs. 2000, **109**, 514

National Ambulatory Medical Care Survey
Office visits and analgesic prescriptions for musculoskeletal pain in US: 1980 vs. 2000, **109**, 514
Neck
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Neck and upper limb pain
The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study, **109**, 45
Neck muscle
Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109**, 225
Neonate
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
Neuropathic pain
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210
Neuropathic pain
Absence of an association between axotomy-induced changes in sodium currents and excitability in DRG neurons from the adult rat, **109**, 471
Neuropathic pain
Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine, **109**, 143
Neuropathic pain
Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat, **109**, 124
Neuropathic pain
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
Neuropathic pain
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Neuropathic pain
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Neuropathy
Taxol-induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients, **109**, 132
Nicotine
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
NMDA receptor antagonist
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
NMDA receptor
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
NMDA receptor channel
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
N-Methyl-D-aspartate
Modulation of morphine analgesia by site-specific *N*-methyl-D-aspartate receptor antagonists: dependence on sex, site of antagonism, morphine dose, and time, **109**, 274
Nociception
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Nociception
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
Nociception
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
Nociception
Stimulus-dependent specificity for annexin 1 inhibition of the inflammatory nociceptive response: the involvement of the receptor for formylated peptides, **109**, 52
Non-malignant
Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109**, 242
Non-nutritive suckling
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
Novel target
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210
Noxious heat
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
NSF
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210
Nursing
Ontogeny of analgesia elicited by non-nutritive suckling in acute and persistent neonatal rat pain models, **109**, 507
OP-1206 α-CD
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64
Opioid
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Opioid
Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109**, 242
Opioid
Modulation of morphine analgesia by site-specific *N*-methyl-D-aspartate receptor antagonists: dependence on sex, site of antagonism, morphine dose, and time, **109**, 274
Opioid analgesia
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
Opioid receptors
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Opioids
Office visits and analgesic prescriptions for musculoskeletal pain in US: 1980 vs. 2000, **109**, 514
Orexin
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
p38α MAPK
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
P2X3
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Pain
Activation of peripheral cannabinoid receptors attenuates cutaneous hyperalgesia produced by a heat injury, **109**, 432
Pain
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Pain
Dose-dependent effect of caffeine on reducing leg muscle pain during cycling exercise is unrelated to systolic blood pressure, **109**, 291

Pain
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
Pain
Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109**, 150
Pain
Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109**, 242
Pain
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Pain measurement
Lessons learned from a multiple-dose post-operative analgesic trial, **109**, 103
Pain measurement
Stability of patient adaptation classifications on the multidimensional pain inventory, **109**, 94
Pain perception
The meaning of pain influences its experienced intensity, **109**, 20
Pain severity
Spousal congruence on disability, pain, and spouse responses to pain, **109**, 258
Pain threshold
Exercise lowers pain threshold in chronic fatigue syndrome, **109**, 497
Palmtop computer
Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109**, 389
Panic disorder
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Patient-controlled analgesia
Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109**, 481
Personality inventory
Stability of patient adaptation classifications on the multidimensional pain inventory, **109**, 94
Physical workload
Possible association of interleukin 1 gene locus polymorphisms with low back pain, **109**, 8
Placebo or sham acupuncture
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Placebo-controlled study
Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study, **109**, 110
Positron emission tomography
Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects, **109**, 86
Posterior hypothalamus
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Post-herpetic neuralgia
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Post-operative pain
Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients, **109**, 481
Postoperative pain
Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109**, 73
Postsurgical pain
A double-blind placebo-controlled comparison of tramadol/acetaminophen and tramadol in patients with postoperative dental pain, **109**, 250
Posttraumatic stress disorder
Panic disorder and pain in a national sample of persons living with HIV, **109**, 172
Pregabalin
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Primary afferent neuron
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
Prognosis
Systematic review of prognostic cohort studies on shoulder disorders, **109**, 420
Projection
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
Protein:protein interactions
A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain, **109**, 210
Psychophysics
Taxol-induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients, **109**, 132
Pump
Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study, **109**, 242
Pyrimidine
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Quantitative somatic sensory testing
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Randomized controlled trial
Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109**, 73
Rat
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Rat
Differential modulation of nociceptive dural input to [hypocretin] orexin A and B receptor activation in the posterior hypothalamic area, **109**, 367
Rats
Activation of peripheral cannabinoid receptors attenuates cutaneous hyperalgesia produced by a heat injury, **109**, 432
Receptor targeting
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Recurrent pain
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
Redox state
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Reliability
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
Remedication
Outcomes in acute pain trials: systematic review of what was reported?, **109**, 351
Reproducibility of results
Stability of patient adaptation classifications on the multidimensional pain inventory, **109**, 94

Risk factors
The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study, **109**, 45
Ruthenium red
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
SD-282
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
Sensory loss
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Sensory neuron
The P2Y agonist UTP activates cutaneous afferent fibers, **109**, 36
Sensory neurons
Redox modulation of peripheral T-type Ca^{2+} channels in vivo: alteration of nerve injury-induced thermal hyperalgesia, **109**, 328
Serotonin
5-HT receptors involved in opioid-activated descending inhibition of spinal withdrawal reflexes in the decerebrated rabbit, **109**, 162
Sex
Impact of preoperative education on pain outcomes after coronary artery bypass graft surgery, **109**, 73
Sex differences
Catastrophizing and perceived partner responses to pain, **109**, 500
Sex differences
Modulation of morphine analgesia by site-specific *N*-methyl-D-aspartate receptor antagonists: dependence on sex, site of antagonism, morphine dose, and time, **109**, 274
Shoulder
Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study, **109**, 299
Shoulder
Systematic review of prognostic cohort studies on shoulder disorders, **109**, 420
Sleep
Pregabalin reduces pain and improves sleep and mood disturbances in patients with post-herpetic neuralgia: results of a randomised, placebo-controlled clinical trial, **109**, 26
Spinal
Nicotine differentially activates inhibitory and excitatory neurons in the dorsal spinal cord, **109**, 308
Spinal cord
Effects of intrathecal injections of melatonin analogs on capsaicin-induced secondary mechanical allodynia and hyperalgesia in rats, **109**, 340
Spinal cord
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Spinal cord
Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain, **109**, 189
Spinal cord injury
Mechanical allodynia following contusion injury of the rat spinal cord is associated with loss of GABAergic inhibition in the dorsal horn, **109**, 379
Spontaneous behavior
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Spouse responses
Catastrophizing and perceived partner responses to pain, **109**, 500
Spouse responses
Spousal congruence on disability, pain, and spouse responses to pain, **109**, 258
Sternotomy
Lessons learned from a multiple-dose post-operative analgesic trial, **109**, 103
Streptozotocin
Antinociceptive action of a p38α MAPK inhibitor, SD-282, in a diabetic neuropathy model, **109**, 409
Subcellular localization
Mu-opioid receptor knockout prevents changes in delta-opioid receptor trafficking induced by chronic inflammatory pain, **109**, 266
Sympathetic sprouting
Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine, **109**, 143
Systematic review
Systematic review of prognostic cohort studies on shoulder disorders, **109**, 420
Taxol
Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109**, 150
Temperament
Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament, **109**, 488
Temporal summation
Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109**, 115
Temporomandibular disorders
Reasons for missing interviews in the daily electronic assessment of pain, mood, and stress, **109**, 389
Tension-type headache
Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study, **109**, 110
Tetrodotoxin-resistant sodium channel
Absence of an association between axotomy-induced changes in sodium currents and excitability in DRG neurons from the adult rat, **109**, 471
Thalamic ventral medial nucleus-posterior
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Therapy
Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study, **109**, 110
Thermal sensation
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Third molar extraction
A double-blind placebo-controlled comparison of tramadol/acetaminophen and tramadol in patients with postoperative dental pain, **109**, 250
Tramadol
A double-blind placebo-controlled comparison of tramadol/acetaminophen and tramadol in patients with postoperative dental pain, **109**, 250
Tramadol/acetaminophen
A double-blind placebo-controlled comparison of tramadol/acetaminophen and tramadol in patients with postoperative dental pain, **109**, 250
Transgenic
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
Treatment
Relationship between changes in coping and treatment outcome in patients with Fibromyalgia Syndrome, **109**, 233
Trigeminal pain mechanisms
Associations between pain and neuromuscular activity in the human jaw and neck muscles, **109**, 225
TRPV1
Effects of TRPV1 receptor antagonists on stimulated iCGRP release from isolated skin of rats and TRPV1 mutant mice, **109**, 284
U0126
Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model, **109**, 64

Validity
Development and validation of the Child Activity Limitations Interview: a measure of pain-related functional impairment in school-age children and adolescents, **109**, 461
Ventral posterior thalamic nucleus
Allodynia in patients with post-stroke central pain (CPSP) studied by statistical quantitative sensory testing within individuals, **109**, 357
Vincristine
Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy, **109**, 150
Visual non-selective non-sustained attention
Decrease in non-selective, non-sustained attention induced by a chronic visceral inflammatory state as a new pain evaluation in rats, **109**, 214
Whole cell patch clamp
Electrophysiological characterization of *N*-methyl-D-aspartate receptors in rat dorsal root ganglia neurons, **109**, 443
Whole-cell patch clamp
Absence of an association between axotomy-induced changes in sodium currents and excitability in DRG neurons from the adult rat, **109**, 471
WIN 55,212-2
Activation of peripheral cannabinoid receptors attenuates cutaneous hyperalgesia produced by a heat injury, **109**, 432
Wind-up
Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation, **109**, 115